Specifications

TOPCON MEDICAL SYSTEMS, INC.

TOPCON EUROPE MEDICAL B.V.

ITALY OFFICE

IRELAND OFFICE

Unit 276, Blanch

Profile 41-201-393-5100 Pax-11-201-393-5250 www.lopcon TOPCON CANADA INC. 110 Provencher Avenue, Boisbriand, QC J7G 1N1 CANADA Phone:+1-450-430-7771 Fax:+1-450-430-6457 www.topcor

Essebaan 11; 2908 LJ Capelle a/d JSsei; P.O.Box145; 2900 AC Capelle a/d JSsei; THE NETHERLANDS Phone:x41 (01)-04585075 Tax:341 (01)-04585045 E-mail: medical@topcon.nl; www.topcon.eu

DANMARK OFFICE Praestemarksvej 25: 4000 Roskilde, DANMARK Phone:+45-46-327500 Fax:+45-46-327555 E-mail: topcon@topcondanmark.dk www.topcondanmark.dk

TOPCON S.A.R.L. BAT A1 3 route de la révolte 93206 SAINT DENIS CEDEX Tel : +33 1 49 21 23 23 Fax : +33 1 49 21 23 24 E-mail:top

ITALY OFFICE Viale dell'Industria 60; 20037 Paderno Dugnano; (Milano), ITALY Phone:+39-02-9186671 Fax:+39-02-91081091 E-mail: topconitaly@tiscali.it; www.topcon.

dstown; Corporate Park 2 Ballycoolin Dublin 15, IRELAND 00 Fax:+353-18293915 E-mail: medical@topcon.ie; www.topcon.ie

Spherical power	Measuring range	+27.00 to -27.00D						
	Measuring step	0.25D/1.00D/2.00D/3.00D						
Cylinder power	Measuring range	+8.00 to -8.00D						
	Measuring step	0.25D/1.00D						
Cylinder axis	Measuring range	0 to 180°						
	Measuring step	1°/5°/15°						
Prism	Measuring range	0 to 20 Δ (all direction)						
	Measuring step	0.1Δ/0.2Δ/0.5Δ /1.0Δ						
Pupillary distance	Adjustment range	48 to 80mm						
	Adjustment step	0.5mm/1.0mm						
Cross cylinder	Jackson Cross cylinder	$\pm 0.25D/\pm 0.50D$						
	Auto Cross cylinder	±0.25D						
Test lens (Aux lens)	Red-Green filter, Polarizing filter (45°/135°), Prism (6 Δ /10 Δ), Red Maddox (horizontal/vertical),							
	Lens for retinoscopy (+1.5D/+2.0D), Cross cylinder for measuring presbyopia (\pm 0.50D), Occluding plate							
	Pinhole, and Cross hairs glass.							
Reference eyeglass wearing distance	12mm, 13.75mm, 16mm, 18mm, 20mm							
Convergence	Near-point distance 40/67cm (Minimum pupillary distance at near-point 40cm convergence : 53mm)							
Forehead rest adjustment range	15mm							
Dimensions and weight	Measuring head(Non-arm mounted type)	294-328mm (W) x 115mm (D) x 261mm (H) 4.0kg						
	Measuring head(Arm-mounted type)	294-328mm (W) x 115mm (D) x 324mm (H) 4.6kg						
	Power Supply Unit W/External PC	276mm (W) x 197mm (D) x 117mm (H) 2.7kg						
	Power Supply Unit W/Built-in PC	276mm (W) x 197mm (D) x 117mm (H) 3.9kg						
	1Dial Controller	300mm (W) x 250mm (D) (MAX) x 200mm (H) (MAX) 2.3kg						



TOPCON DEUTSCHLAND G.m.b.H. TOPCON INSTRUMENTS (MALAYSIA) SDN.BHD. Io. D1, (Ground Floor), Jalan Excella 2, Off Jalan Ampang Putra aman Ampang Hilir, 55100 Kuala Lumpur, MALAYSIA hone:+60-(0)3-42709866 Fax:+60-(0)3-42709766 TOPCON SCANDINAVIA A.B. TOPCON INSTRUMENTS (THAILAND) CO.,LTD. 77/162 Sinsathom Tower, 37th Floor, Krungthonburi Rd., Klongtonsai, Klongsam, Bangkok 10600, THAILAND Phone:+66(0)2:440-1152-7 Fax:+66-(0)2:440-1158

TOPCON ESPAÑA S.A. HEAD OFFICE Frederic Mompou 4 Esc. A Bajos 3, 08960 Sant Just Desvern Barcelona, SPAIN Phone 3:443-84734057 Fax: 34-93-4733932 E-mail: medica@topcon.es; www. PORTUGAL OFFICE Rus da Forte, 6-64,1-028,2780-072 Camaxide,PORTUGAL Phone : 351-210.994626 Fax: 351-210-938786 www.topcon.pt

TOPCON (GREAT BRITAIN) LTD. hire RG14 5PX United Kingdom

TOPCON POLSKA Sp. z. o. o. TOPCON SINGAPORE MEDICAL PTE. LTD.

60 Alexandra Terrace, #08-27 The Comtech, Singapore 118502 Phone:+65-68720606 Fax:+65-67736150 E-mail:medical_sales@topcon.comm.sg www.topcon.com.sg

14L Huamin Empire Plaza, No.726, Yan-an Xi Road, Shanghai, 200050, CHINA Phone:+86-(0)21-5238-7722 Fax:+86-(0)21-5237-076 TOPCON CORPORATION BEIRUT OFFICE P.O.Box 70-1002 Antelias, Beirut, LEBANON Phone:+961-4-523525/523526 Fax:+961-4-521119 TOPCON CORPORATION DUBAI OFFICE P.O.Box 293705,Dubai Airport Free Zone L.I.U. J-12, Dubai, U.A.E Phone:+971-4-299-5900 Fax:+971-4-299-5901

TOPCON CORPORATION SHANGHAI OFFICE

TOPCON CORPORATION BEIJING OFFICE Block No.9, Kangding Street Beijing Economic-Technological Develop

-2799 Eax:+86-(0)10-6780-279

Beijing,100176,CHINA

PRINTED WITH SOY INK © 2011-2012 TOPCON CORPORATION All Rights Reserved Printed in Japan 2012 07-30 NP E082-1 TK · CH · AS



Compu Vision CV-5000

Compact, Open and Contemporary Design

A 50% volume reduction compared to previous models allows the operator to monitor the patient's expression during the refraction. The contemporary design is appealing to both users and patients and emphasizes the professionalism of the user.

High Speed Lens Disc Rotation

Efficient lens disc rotation reduces ocular stress as well as confusion for the patient. The total refraction time is reduced significantly. The lens disc rotation speed has been increased 50% compared to the previous model.

Illumination Comes as Standard

LED illumination from the phoropter provides bright illumination of the near test chart. The use of external illumination is no longer required.

Comfortable Operation with Three Types of Interfaces from Topcon...

TOPCON

Topcon's CV-5000 provides three interfaces for operation. The 1st option is the 1 dial controller KB-50S utilizing a large 10.4 inch color LCD touch screen. The 2nd and 3rd options allow you to load the controller software on your PC or the PC integrated inside the CV-5000 power supply giving you full control of the CV-5000 with the PC mouse. The CV-5000's automatic phoropter head also provides fast lens rotation for user and patient comfort. Compact and contemporary design contributes to a professional image.

CV-5000

ACD 407 😂

Tilting Function for Near Vision Tests

To provide a natural reading position during the near tests, the CV-5000 head can be tilted. The tilting angle can be fixed with in a wide range.









Enhanced Patient Care

CV-5000 + KB-50S Provide unique features to assist patient consultation.



R

Easy-to-Understand Layout

TOPCON

CV-5000

The newly designed interface offers the best in user friendliness. All relevant data can be viewed at a glance. The layout can be modified to the users preference.



Large 10.4 Inch Color LCD Touch Screen

The worlds largest touch screen provides clear display of examination data. User friendliness has improved dramatically compared to previous models. The highest operation comfort level is achieved by using this large and clear screen.

Your Own Chart Pages

Chart selection is operated through five tab pages in the touch panel. Next to the conventional charts for Topcon chart projectors, the defined charts can be implemented. The layout of the five tab pages can be defined by the user.

a d	art2	Chart3	Char	14 0	hart 5	Char	t1 C	hart2	Chart3	Chart
4584	\$436701 6829404 3286503	2836305 8348707 5698400	9452710 6834912 5928315	3WM41 m # W42	#####03 #####05	800 N. 		0		VOK2NEOR
	4584	4 5 8 43 5436703	4 5 8 41 1438 701 2134 30	4 5 8 01 8438701 2834300 9482710	4 5 8 01 5438702 2838304 9452710 3WM01	Image: Second	4 5 8 m 3438 701 2838 300 8452 710 30mm 4 40000	1 Charth	1 Chet3 Chet4 Chet3 I Chet3 Chet3 6 0 11 11 Chet3 I Chet3 Chet3 5 0 11 11 11 Chet3 I Chet3 5 0 11 11 11 11 Chet3 I 5 0 11 11 11 11 I 5 0 11 11 11 11 5 0 11 11 11 11 5 0 11 11 11 11 5 0 11 11 11 11 5 0 11 11 11 11 5 0 11 11 11 11 5 0 11 11 11 11 5 0 11 11 11 11 5 0 0 11 11 11 5 0 0 11 11 11 5 0 0 0 11 11 5 0 0 0 0 5 0 0 <	1 Chart3 Chart4 Chart5 Chart5 Chart2 Chart2 Chart2 Chart3 6 0 1 1 1 1 1 1 1 1 5 0 1 1 1 1 1 1 1 1 5 0 1 1 1 1 1 1 1 1 5 0 1 1 1 1 1 1 1 1

Multiple "HELP" Function

By just the touch of a button the HELP display is activated. HELP provides useful information on the selected test. A simplified (short text) or an advanced (longer text) HELP display can be selected.

Dial Navigation Function

On request the dial navigation function is available. Dial navigation indicates the rotation direction of the 1-dial according to the responses of the patient. Comfort at its best !

Other Benefical Features



C	hart 5	ì
		ł
		ł
1		ł







>> Performs complete optometric extension program - American 21 step routine.

>> Reduced number of operation buttons on the KB-50S improves the ease-of-use.

Mouse and Monitor Control

The unequaled operating software can be run from the user's own PC or directly from the Topcon's power supply with built in PC.

Multiple Options to Reduce Cost

Cost of the system can be reduced by using the operator's own PC or the PC integrated inside the Power Supply (Embedded PC) to control the CV system.

HKNST OVEF DACZR

User Friendly Interface

The newly designed user interface offers the best in user friendliness. All relevant data can be viewed at a glance. The displayed layout can be modified to the user's preference.

Mouse Operated

Mouse and monitor interface can easily control the CV-5000 head, and ensures a comfortable overview of the refraction data.

Integration in IMAGEnet R4

The CV-5000 software integrates with the IMAGEnet[™]R4 software system. Subjective, objective and lensmeter data can be transferred from the CV-5000 system to IMAGEnet[™]R4 and assigned to a patient. As the communication is bi-directional, IMAGEnet[™]R4 can transfer objective, old glasses and lensmeter data to the CV-5000 system as a starting point for subjective refraction.





Embedded PC type



CV-5000 provides a sales support function, through which the operator can advise the customer which type of lens is most beneficial to fulfill their needs. Clear images display the view for different lens types, single vision, mid range progressive and full range progressive lenses. Lens type selection is made easier and more time saving.

Vision of Progressive Lens



Accommodation





Patient Information

Patients like to know why they need glasses.

The animated patient information provides a clear understandings to the patient.



Sales Support Function







Age 60



Optional Accessory: PC-50S



Comprehensive Range of Optotypes

The combination with CV-5000, KB-50S and PC-50S integrates examination, consultation, and final fitting smoothly into a handy optometry system.

True Visual Acutity Testing System

The advanced True Acuity Testing System, PC-50S incorporates high resolution 19" LCD that offers unsurpassed sharp and clear chart projection.

The Variety of Chart, Image and Movie

The PC-50S features comprehensive range of optotypes and tests that are used by today's eyecare practitioners. Besides, photo and movie clips canbe played on the LCD for greater patient comfort.

Mimimal Design

The PC-50S is ready to be installed on the wall directly or on another mount / stand, on order to fit any design of refcation room. (Please ask for details. A wall metal plate and fixingscrews are standard componets.)



Floor Stand Type

Active Charts

TOPCON's unique "Active Charts" helps testing correct visual function in practical condition.





Expanded Application of KB-50S for Your Daily Scene

Needless to say that the KB-50S functions as a remote controller for chart switching for visual acuity tresting, it incorpotates a new function for near view simulation.



Contrast Test

С

С

0

It helps to examine the contrast sensitivity with piual and singular frequency chart.

Change of contrast

							_					_
conc		С	С	0	0	С	0.2	C	С	0		
0 0 0 0		С	0	С	С	0	0.3	С	0	0		
0 0 0 0		0	0	С	0	0	0.4	0	0			
	25							25	12.5	10	8	
												_

Single ratio character contrast

Plural ratio character contrast





Astigmatism Test



Black-and-white inversion







A New partner of vision test systems

Space-saving / Liquid crystal polarization / High resolution

3D Contents

In light of the ever increasing use of 3D technology in today's world, we have incorporated high-tech 3D content into the new MC-4S. 3D movies and images can be projected on the MC-4S, which allows you to check vision in 3D and keep up with the latest technology!



Movie Playback

Both images and short movie clips can be played on the LCD. In addition, you can install any movie you want and customize the contents according to your purposes.



Virtual Vision Experience

This feature incorporates virtual image content, which enables the operator to test visual performance in real life situations. Objects that appear to be far away can be easily brought closer by using the KB-50S. This option is very useful for checking vision in perspective and for choosing the appropriate progressive lenses.



Topcon Original Active Charts

Besides the well-known Landolt-rings and red/green charts, the MC-4S also provides original motion "active charts" that are useful for checking stereo-vision, astigmatism, heterophoria, etc. You can perform a wide range of tests with these charts.





Chart for visual depth perception Phoria Test

Astigmatism Test

Space-saving

The MC-4S is a compact eye chart with a LCD screen and features the world's shortest installing distance. Its footprint doesn't require much area either, which contributes to additional space savings for your practice.

Free Maintenance

Since the MC-4S is supplied with a LCD chart, you will no longer need to worry about replacing bulbs.

Optional Accessory: MC-4S





Phoria Test



Coincidence Test

Smooth Operation

Compared to conventional models, the visual contents and chart switching on the MC-4S has been significantly speeded up, due to the newly incorporated LCD technology, which enables smooth and fast measurements.

Polarization Image

This feature assists optometrists in explaining the effect of polarized glasses to their patients.

